

Ponal Classic

# Safety Data Sheet according to Regulation (EC) No 1907/2006

Page 1 of 11

SDS No.: 41529 V003.4

Revision: 14.07.2016

printing date: 15.12.2016

Replaces version from: 16.06.2015

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Ponal Classic

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Wood adhesive, dispersion

### 1.3. Details of the supplier of the safety data sheet

Henkel AG & Co. KGaA

Henkelstr. 67

40589 Düsseldorf

Germany

Phone: +49 (211) 797 0 Fax-no.: +49 (211) 798 4008

ua-productsafety.de@henkel.com

### 1.4. Emergency telephone number

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases.

Further information is available at Poison Control Centers.

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

### 2.2. Label elements

#### Label elements (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

**Supplemental information** Contains 1,2-Benzisothiazol-3(2H)-one; Isothiazolinone mixture 3:1 (CIT/MIT). May

produce an allergic reaction.

**Precautionary statement:** P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P262 Do not get in eyes, on skin, or on clothing.

MSDS-No.: 41529 Ponal Classic Page 2 of 11

V003.4

#### 2.3. Other hazards

None if used properly.

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### General chemical description:

Dispersion adhesive, water-based

#### Base substances of preparation:

Polyvinyl acetate dispersion

### Declaration of the ingredients according to CLP (EC) No 1272/2008:

Hazardous components CAS-No.	EC Number REACH-Reg No.	content	Classification
1,2-Benzisothiazol-3(2H)-one 2634-33-5	220-120-9	50- < 500 PPM	Aquatic Acute 1 H400 Aquatic Chronic 2 H411 Acute Tox. 4; Oral H302 Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Dam. 1 H318
Isothiazolinone mixture 3:1 (CIT/MIT) 55965-84-9		1,5-< 15 PPM	Acute Tox. 3; Inhalation H331 Acute Tox. 3; Dermal H311 Acute Tox. 3; Oral H301 Skin Corr. 1B H314 Skin Sens. 1 H317 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 M factor (Acute Aquat Tox): 10

For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Inhalation

Move to fresh air, consult doctor if complaint persists.

Skin contact:

Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.

Eye contact

Rinse immediately with plenty of running water, seek medical advice if necessary.

Ingestion:

Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.

MSDS-No.: 41529 Ponal Classic Page 3 of 11

V003.4

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media:

carbon dioxide, foam, powder, water spray jet, fine water spray

#### Extinguishing media which must not be used for safety reasons:

High pressure waterjet

#### 5.2. Special hazards arising from the substance or mixture

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

#### **5.3.** Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment.

Danger of slipping on spilled product.

Avoid contact with skin and eyes.

### 6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

### 6.3. Methods and material for containment and cleaning up

Remove with liquid-absorbing material (sand, peat, sawdust).

Dispose of contaminated material as waste according to Section 13.

#### 6.4. Reference to other sections

See advice in section 8

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid skin and eye contact.

Hygiene measures:

Wash hands before work breaks and after finishing work.

Do not eat, drink or smoke while working.

#### 7.2. Conditions for safe storage, including any incompatibilities

Ensure good ventilation/extraction.

Keep only in original container.

Keep container tightly sealed and store in a frost free place.

Temperatures between + 5 °C and + 35 °C

Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

### 7.3. Specific end use(s)

Wood adhesive, dispersion

MSDS-No.: 41529 Ponal Classic Page 4 of 11

V003.4

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### **Occupational Exposure Limits**

Valid for

Germany

Ingredient [Regulated substance]	ppm	mg/m <sup>3</sup>	Value type	Short term exposure limit category / Remarks	Regulatory list
2-(2-Butoxyethoxy)ethyl acetate 124-17-4	10	67	Exposure limit(s):	1.5 If the AGW and BGW values are complied with, there should be no risk of reproductive damage (see Number 2.7).	TRGS 900
2-(2-Butoxyethoxy)ethyl acetate 124-17-4			Short Term Exposure Classification:	Number 2.7.).  Category I: substances for which the localized effect has an assigned OEL or for substances with a sensitizing effect in respiratory passages.	

### **Biological Exposure Indices:**

Ingredient [Regulated substance]		Biological specimen	Sampling time		Basis of biol. exposure index	 Additional Information
Methanol	methanol	Urine	Sampling time: End of	30 mg/l	DE BGW	
67-56-1			shift at end of work			
			week.			

#### 8.2. Exposure controls:

Respiratory protection:

Suitable breathing mask when there is inadequate ventilation.

Combination filter: ABEKP (EN 14387)

This recommendation should be matched to local conditions.

Hand protection:

Recommended are gloves made from Nitril rubber (Material thickness >0.1 mm, Perforation time <30s). Gloves should be replaced after each short time contact or contamination. Available at laboratory specialized trade or at pharmacies / chemist's shops.

Eye protection:

Protective goggles

Skin protection:

Suitable protective clothing

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Appearance liquid viscous

white

Odor typical

Odour threshold No data available / Not applicable

pH 3-4,5

(23 °C (73 °F); Conc.: 100 % product)

Initial boiling point 100 °C (212 °F)

(1.013 hPa)

Flash point ; no methodNo flash point up to 100°C. Aqueous preparation.

Decomposition temperature No data available / Not applicable

MSDS-No.: 41529 Ponal Classic Page 5 of 11

V003.4

Vapour pressure No data available / Not applicable

Density 1 g/cm3

(20 °C (68 °F)) Bulk density No data available / Not applicable

Viscosity 8.000 - 15.000 mPa.s

(Brookfield; Instrument: RVT; 23 °C (73.4 °F); speed of rotation: 20 min-1; Spindle No: 5;

Conc.: 100 % product)
Viscosity (kinematic)

Explosive properties

No data available / Not applicable
No data available / Not applicable

Solubility (qualitative) Miscible

(20 °C (68 °F); Solvent: Water)

Solidification temperature No data available / Not applicable Melting point No data available / Not applicable Flammability No data available / Not applicable Auto-ignition temperature No data available / Not applicable No data available / Not applicable Explosive limits Partition coefficient: n-octanol/water No data available / Not applicable Evaporation rate No data available / Not applicable Vapor density No data available / Not applicable Oxidising properties No data available / Not applicable

#### 9.2. Other information

No data available / Not applicable

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

None if used for intended purpose.

#### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

See section reactivity

### 10.4. Conditions to avoid

None if used for intended purpose.

### 10.5. Incompatible materials

None if used properly.

#### 10.6. Hazardous decomposition products

None known.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### General toxicological information:

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation (EC) No 1272/2008. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

#### Sensitizing:

An allergic reaction cannot be excluded after repeated skin contact.

MSDS-No.: 41529 Ponal Classic Page 6 of 11

V003.4

# Acute oral toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
1,2-Benzisothiazol-3(2H)-	Acute	670 mg/kg	oral			Expert judgement
one	toxicity					
2634-33-5	estimate					
	(ATE)					
1,2-Benzisothiazol-3(2H)-	LD50	670 - 784			rat	EPA Guideline
one		mg/kg				
2634-33-5						
Isothiazolinone mixture	LD50	53 mg/kg	oral		rat	
3:1 (CIT/MIT)						
55965-84-9						

# Acute dermal toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
1,2-Benzisothiazol-3(2H)-	LD50	> 5.000 mg/kg	dermal		rat	EPA OPP 81-2 (Acute Dermal
one						Toxicity)
2634-33-5						
Isothiazolinone mixture	LD50	660 mg/kg	dermal		rabbit	Not specified
3:1 (CIT/MIT)						
55965-84-9						

### Skin corrosion/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		
1,2-Benzisothiazol-3(2H)-	moderately irritating	4 h	rabbit	EPA OPP 81-5 (Acute Dermal
one				Irritation)
2634-33-5				
Isothiazolinone mixture	corrosive			
3:1 (CIT/MIT)				
55965-84-9				

# Serious eye damage/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		
1,2-Benzisothiazol-3(2H)-	highly irritating	48 h	rabbit	EPA OPP 81-4 (Acute Eye
one				Irritation)
2634-33-5				

# Respiratory or skin sensitization:

Hazardous components	Result	Test type	Species	Method
CAS-No.				
1,2-Benzisothiazol-3(2H)-	sensitising	Guinea pig	guinea pig	Magnusson and Kligman
one		maximisat		Method
2634-33-5		ion test		
Isothiazolinone mixture	Sensitizing		guinea pig	
3:1 (CIT/MIT)				
55965-84-9				

MSDS-No.: 41529 Ponal Classic Page 7 of 11

V003.4

### Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
1,2-Benzisothiazol-3(2H)- one 2634-33-5	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
	negative	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
1,2-Benzisothiazol-3(2H)- one 2634-33-5	negative	oral: gavage		mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
	negative	oral: unspecified		rat	OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo)

# Repeated dose toxicity

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
1,2-Benzisothiazol-3(2H)-	NOAEL=10 mg/kg	oral: gavage	90 daysdaily	rat	OECD Guideline 408
one					(Repeated Dose 90-Day Oral
2634-33-5					Toxicity in Rodents)

# **SECTION 12: Ecological information**

### General ecological information:

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation (EC) No 1272/2008. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following. Do not empty into drains, soil or bodies of water.

MSDS-No.: 41529 Ponal Classic Page 8 of 11

V003.4

# 12.1. Toxicity

Hazardous components	Value	Value	Acute	Exposure	Species	Method
CAS-No.	type		Toxicity Study	time		
1,2-Benzisothiazol-3(2H)-one	LC50	1,4 mg/l	Fish	96 h	Salmo gairdneri (new name:	OECD Guideline
2634-33-5		, 0			Oncorhynchus mykiss)	203 (Fish, Acute
					•	Toxicity Test)
	NOEC	0,21 mg/l	Fish	30 d	Oncorhynchus mykiss	OECD Guideline
						215 (Fish, Juvenile
						Growth Test)
1,2-Benzisothiazol-3(2H)-one	EC50	1,05 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline
2634-33-5						202 (Daphnia sp.
						Acute
						Immobilisation
			1			Test)
1,2-Benzisothiazol-3(2H)-one	EC50	0,11 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline
2634-33-5						201 (Alga, Growth
	FG10	0.04		<b>50.</b>		Inhibition Test)
	EC10	0,04 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline
						201 (Alga, Growth
12 D : 4: 12(21)	EC 50	00 //	D ( )	2.1		Inhibition Test)
1,2-Benzisothiazol-3(2H)-one	EC 50	23 mg/l	Bacteria	3 h	activated sludge of a	OECD Guideline
2634-33-5					predominantly domestic sewage	
						Sludge, Respiration Inhibition Test)
1,2-Benzisothiazol-3(2H)-one	NOEC	1,2 mg/l	chronic	21 d	Daphnia magna	OECD 211
2634-33-5	NOEC	1,2 Hig/1	Daphnia	21 U	Dapinna magna	(Daphnia magna,
2034-33-3			Бариша			Reproduction Test)
Isothiazolinone mixture 3:1	LC50	0,22 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline
(CIT/MIT)	LC30	0,22 mg/1	1 1511	70 H	Oncomynenus mykiss	203 (Fish, Acute
55965-84-9						Toxicity Test)
33703 017	NOEC	0,098 mg/l	Fish	28 d	Oncorhynchus mykiss	OECD 210
	11020	0,000 mg 1	1 1011	20 0		Guideline (fish
						early lite stage
						toxicity test)
Isothiazolinone mixture 3:1	EC50	0,048 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline
(CIT/MIT)					1	201 (Alga, Growth
55965-84-9						Inhibition Test)
	NOEC	0,0012 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline
						201 (Alga, Growth
						Inhibition Test)
Isothiazolinone mixture 3:1	EC10	0,59 mg/l	Bacteria	16 h		
(CIT/MIT)						
55965-84-9						
Isothiazolinone mixture 3:1	NOEC	0,0036 mg/l	chronic	21 d	Daphnia magna	OECD 211
(CIT/MIT)			Daphnia			(Daphnia magna,
55965-84-9			1			Reproduction Test)

# 12.2. Persistence and degradability

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
1,2-Benzisothiazol-3(2H)-one 2634-33-5	Rapidly degradable	Not specified	> 70 %	OECD Guideline 309 (Aerobic Mineralisation in Surface
2034-33-3				WaterSimulation Biodegradation
				Test)
Isothiazolinone mixture 3:1		aerobic	97 %	OECD Guideline 302 B (Inherent
(CIT/MIT)				biodegradability: Zahn-
55965-84-9				Wellens/EMPA Test)
	readily biodegradable		> 60 %	OECD Guideline 301 D (Ready
				Biodegradability: Closed Bottle
				Test)

# 12.3. Bioaccumulative potential / 12.4. Mobility in soil

Hazardous components	LogKow Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.	factor (BCF)	time			

MSDS-No.: 41529 Ponal Classic Page 9 of 11

V003.4

1,2-Benzisothiazol-3(2H)-one 2634-33-5 1,2-Benzisothiazol-3(2H)-one 2634-33-5	< 3	6,62	Not specified		OECD Guideline 305 (Bioconcentration: Flow- through Fish Test) EU Method A.8 (Partition Coefficient)
Isothiazolinone mixture 3:1 (CIT/MIT) 55965-84-9 Isothiazolinone mixture 3:1 (CIT/MIT) 55965-84-9	-0,71 - 0,75	3,6	calculation	20 °C	OECD Guideline 117 (Partition Coefficient (noctanol / water), HPLC Method)

### 12.5. Results of PBT and vPvB assessment

Hazardous components CAS-No.	PBT/vPvB
1,2-Benzisothiazol-3(2H)-one	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
2634-33-5	Bioaccumulative (vPvB) criteria.
Isothiazolinone mixture 3:1 (CIT/MIT)	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
55965-84-9	Bioaccumulative (vPvB) criteria.

### 12.6. Other adverse effects

No data available.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product disposal:

Dispose of waste and residues in accordance with local authority requirements.

Disposal of uncleaned packages:

Use packages for recycling only when totally empty.

Waste code

08 04 10 Waste adhesives and sealants other than those mentioned in 08 04 09.

MSDS-No.: 41529 Ponal Classic Page 10 of 11

V003.4

# **SECTION 14: Transport information**

### 14.1. UN number

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

# 14.2. UN proper shipping name

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

### 14.3. Transport hazard class(es)

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

# 14.4. Packing group

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

### 14.5. Environmental hazards

ADR	not applicable
	1.1
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

#### 14.6. Special precautions for user

ADR	not applicable
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC content (VOCV 814.018 VOC regulation CH)

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

MSDS-No.: 41529 Ponal Classic Page 11 of 11

V003.4

### National regulations/information (Germany):

WGK: 1, slightly water-endangering product. (German VwVwS of May 17, 1999)

Classification in conformity with the calculation method

Storage class according to TRGS 510: 10

### **SECTION 16: Other information**

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

#### **Further information:**

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

#### Label elements (DPD):

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EC" as issued in the last version.

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.